



CONTENTS



Classic Series

Dual Motors Standing Desk Frame	05
Single Motor Standing Desk Frame	07
Hand Crank Standing Desk Frame	09
Pneumatic Standing Desk	11




Project Series

Three Legs Standing Desk Frame	17
Face To Face Workstation Frame	21
Single Leg Mobile Pneumatic Adjustable Bedside Table	23
Dual Motors Tilttable Standing Desk Frame	25
Single Leg Electric Standing Desk Frame	27



Standing Desk Converter Series

Electric Standing Desk Converter with Monitor Mount	31
Electric Standing Desk Converter	33
Pneumatic Standing Desk Converter	35



Monitor Arm Series

Monitor Arms	43
--------------	----



Accessories

Mobile Pedestals	47
Metal Cable Trays	51
Screen Clips	51
Cable Management Spine	51
CPU Holder	51
Control Boxes	52
Handsets	53
Columns	55



01
Classic Series



Classic Series

Dual Motors Standing Desk Frame

AK2YJYT-TYZB3
Dual Motors Standing Desk Frame

FINISH:



Column Tube Shape:
Rectangle

Frame Size:
1075~1800mm

Bracket:
600mm


Speed:
40mm/s



Height Range:
640~1290mm

Feet Length:
700mm

Max Loading:
120kg



AK2YJYT-TYZF2
Dual Motors Standing Desk Frame

FINISH:



Column Tube Shape:
Square

Frame Size:
1075~1800mm

Bracket:
600mm


Speed:
32mm/s



Height Range:
690~1150mm

Feet Length:
700mm

Max Loading:
120kg





Classic Series

Single Motor Standing Desk Frame

M & W

AK2YJYT-TY-A-F
Single Motor Standing Desk Frame

FINISH:



Column Tube Shape :
Square

Frame Size :
1150~1600mm

Bracket :
600mm

Speed :
25mm/s


Model
AK2YJYT-TY-AJ



Height Range :
715~1180mm

Feet Length :
700mm

Max Loading :
100kg



AK02DHL-TY-AJ-M02
Single Motor Standing Desk Frame

FINISH:



Column Tube Shape :
Rectangle

Frame Size :
1050~1630mm


Bracket :
600mm

Speed :
28mm/s

Height Range :
695~1145mm

Feet Length :
700mm

Max Loading :
85kg



Classic
Series



Classic Series


Hand Crank Standing Desk Frame

M & W

AK2YJHT-Y-A-H

Hand Crank Standing Desk Frame

Column Tube Shape:	Rectangle	Height Range:	690~1130mm
Frame Size:	1150~1600mm	Feet Length:	700mm
Max Loading:	80kg	Speed:	6.12mm/r
Bracket:	600mm		



FINISH:




Model
AK2YJHT-Y-AJ-H

AK2YJHRT-A-Y-SE

Hand Crank Standing Desk Frame

Column Tube Shape:	Round	Height Range:	690~1130mm
Frame Size:	1150~1600mm	Feet Length:	700mm
Max Loading:	80kg	Speed:	16.7mm/r
Bracket:	600mm		



FINISH:



Model
AK2YJHRT-YD-A-F-SE

PNEUMATIC STANDING DESK

AK-MR-P07-4

Pneumatic Standing Desk

FINISH:






↑ Height Range:
705~1055mm

↑↓ Bracket:
420mm

⚖ Load Capacity:
Static 100kg
(Frame Only)
Dynamic 13kg
(Frame Only)

↔ Feet Length:
550mm



02
Project Series



THREE LEGS STANDING DESK FRAME

 Column Tube Shape: Square / Rectangle

 Height Range: 640~1290mm / 3 stage
690~1150mm / 2 stage

 Bracket: 600mm

 Feet Length: 700mm

 Speed: 40mm/s / 3 stage
32mm/s / 2 stage

 Max Loading: 150kg

 Frame Size:



AK3YJYT-TYZF3(90°)
1075~1800mm / Front 1075~1800mm / Side



AK3YJYT-TYZF3(90° /120° /180°)
1085~1680mm / Front 1085~1680mm / Side




AK3YJYT-TYZB2(90°)
1075~1800mm / Front 1075~1800mm / Side



AK3YJYT-TYZB2(90° /120° /180°)
1085~1680mm / Front 1085~1680mm / Side




AK3YJYT-TYZF3(90°)



FINISH:




AK3YJYT-TYZF3(90° /120° /180°)



FINISH:




AK3YJYT-TYZB2(90°)



FINISH:



AK3YJYT-TYZB2(90° /120° /180°)



FINISH:



Project Series

Face To Face Workstation Frame

Project Series

Face To Face Workstation Frame

M & W



**PROJECT
SERIES**

Projects Series

FACE TO FACE
WORKSTATION
FRAME

FINISH:






(AK2YJYT-TYZF3) *2

 Column Tube Shape:	 Height Range:
Square	640~1290mm
 Frame Size:	 Bracket:
1250~1590mm	600mm
 Speed:	 Max Loading:
40mm/s	120kg Each Frame



TYZB3 ZY3



FINISH:






(AK2YJYT-TYZB2) *2

 Column Tube Shape:	 Height Range:
Rectangle	690~1150mm
 Frame Size:	 Bracket:
1250~1550mm	600mm
 Speed:	 Max Loading:
32mm/s	120kg Each Frame



TYZF2 ZY2



PROJECTS
SERIES

AK-MR-P20

Single Leg Mobile
Pneumatic Adjustable Bedside Table

FINISH:



Column Tube Shape:
Rectangle




Height Range:
760~1110mm

Board Size:
825*500mm

Bracket:
300mm

Feet Length:
500mm

Max Loading:
Static 30kg
Dynamic 6kg





Projects Series

Dual Motors
Titable Standing
Desk Frame
AK2QX-ZF2





Tilt Angle

0~40°



Time

10s



Max. Load when tilt

25kg



Height Range:

690~1150mm



Size:

1224*700mm



Bracket:

410mm



Feet Length:

700mm




Speed:

32mm/s



Max Loading:

120kg



FINISH:

WHITE

GREY

BLACK

PROJECTS SERIES

Project Series

Single Leg Electric Standing Desk Frame

M & W

AK1E-TYZF3

Single Leg Electric Standing Desk Frame

FINISH:






Column Tube Shape:
Square

Height Range:
630~1280mm

Speed:
45mm/s

Bracket:
600mm

Max Loading:
60kg






03

Standing Desk Converter Series

Standing Desk Converter Series

**ELECTRIC
STANDING
DESK
CONVERTER
WITH
MONITOR MOUNT**


			
	AK-MR-E01S	AK-MR-E01D	AK-MR-E01T
 Monitor Size:	15" (MIN) ~40" (MAX)	15" (MIN) ~31.5" (MAX)	15" (MIN) ~19" (MAX)
 Max Loading:	10KG	10KG	8KG

 Size:	874*558mm	 Height Range For Keyboard:	30~460mm
 Speed:	40mm/s	 Height Range For Top:	145~575mm
 Max Loading:	15kg		


FINISH:




AK-MR-E01S



AK-MR-E01D



AK-MR-E01T



ELECTRIC
STANDING
DESK
CONVERTER

FINISH:



AK-MR-E03S

	Size:
AK-MR-E03S	915*747mm
AK-MR-E04S	1100*727mm


	Height Range For Keyboard:
	20~420mm

	Height Range For Top:		Desktop Max Loading:
	150~550mm		20kg

	Single Route Time:		Keyboard Max Loading:
	15s		5kg



Model AK-MR-E04S



FINISH:




AK-MR-E07

	Size:
	800*450*15mm

	Height Range For Top:		Max Loading:
	140~440mm		20kg

	Speed:
	15mm/s




PNEUMATIC
STANDING
DESK
CONVERTER

AK-MR-P13-2-L

↑ Height Range For Top: 55~405mm

⚙️ Max Loading: 8kg

↔️ Size: 650*470mm



FINISH:




AK-MR-P22

↑ Height Range For Top: 120~505mm

⚙️ Desktop Max Loading: 15kg

↔️ Size: 820*400mm




FINISH:



PNEUMATIC
STANDING
DESK
CONVERTER

AK-MR-P23

↑ Height Range For Top:	Desktop Max Loading:
155~500mm	10kg
Size:	Keyboard Max Loading:
600*400mm	2kg




FINISH:



AK-MR-P24

↑ Height Range For Top:	Desktop Max Loading:
155~500mm	10kg
Size:	Keyboard Max Loading:
600*400mm	2kg



FINISH:



04
Monitor Arm Series




SINGLE
MONITOR
ARM

AK-MA02S

 Monitor Size:	 Height Range:
14"~32"	24cm
 Rotation Angle:	 Material:
360°	ABS & Aluminum
 Weight Capacity:	
2-9kg	



tension adjustment for
the up/down arm



tighten with desktop
connection



easy installation
(with cable management + bottom wire perforation)



lift range: 258-503mm



tilt: +90-50°



swivel: ± 90°



rotation: 360°


DUAL
MONITOR
ARMS

AK-MA02D


 Monitor Size:	 Height Range:
14"~32"	24cm
 Rotation Angle:	 Material:
360°	ABS & Aluminum
 Weight Capacity:	
2-9kg	



tension adjustment for
the up/down arm



tighten with desktop
connection



easy installation
(with cable management + bottom wire perforation)



lift range: 258-503mm



tilt: +90-50°



swivel: ± 90°



rotation: 360°

05
Accessories

MOBILE
PEDESTAL
AK-PC-390

Size:
500*390*470mm



COLOR:





MOBILE
PEDESTAL
AK-PC-300

Size:
500*300*470mm



COLOR:





METAL CABLE TRAY

Size:
800*125*75mm

CABLE MANAGEMENT SPINE

Length:
1280mm



Size:
68*36mm

CPU HOLDER


Length:
135~245mm

Height:
300~455mm




METAL
CABLE
TRAYS




CABLE
MANAGEMENT
SPINE



SCREEN
CLIPS



CPU
HOLDER



CONTROL
BOXES



TC15

↔ Size:
242*94*40mm

⌋ Maximum Output:
32V DC, 6A



TC16

↔ Size:
261*94*38mm

⌋ Maximum Output:
32V DC, 6A



TC11

↔ Size:
242*66*39mm

⌋ Maximum Output:
29V DC, 2.5A



TC15S

↔ Size:
242*94*41mm

⌋ Maximum Output:
32V DC, 8A



TC16P

↔ Size:
261*94*38mm

⌋ Maximum Output:
32V DC, 10A

0.1W
standby power
consumption

HANDSETS



TFH8
Up / Down



TDH6
1/2/3/4
Memory Function
Available Buttons: 7
Digit Display



TDH18P-1294-001 TDH18P-1294-002
1/2
Memory Function
Available Buttons: 5
Digit Display
Bluetooth Adapter
USB
Lock



TDH5
1/2/3/4
Memory Function
Available Buttons: 6
Digit Display



TDH6PR
1/2/3/4
Memory Function
Available Buttons: 7
Digit Display
Bluetooth Adapter



TDH19P
1/2/3/4
Memory Function
Available Buttons: 6
Digit Display
USB
Lock



TDH20P-1294-001
1/2
Memory Function
Available Buttons: 5
Digit Display
Bluetooth Adapter
USB
Lock



TDH20P-1294-002
1/2/3
Memory Function
Available Buttons: 5
Digit Display
Bluetooth Adapter
USB

COLUMNS


FINISH:




3-STAGE
COLUMNS




TYZB3
80*50mm
75*45mm
70*40mm



YZB3
90*60mm
80*50mm
70*40mm




ZB3
80*50mm
75*45mm
70*40mm



DB3
80*50mm
75*45mm
70*40mm



TYZF3
75*75mm
70*70mm
65*65mm



YZF3
70*70mm
60*60mm
50*50mm



ZF3
75*75mm
70*70mm
65*65mm



DF3
75*75mm
70*70mm
65*65mm



ZY3
Φ70mm
Φ62mm
Φ54mm


2-STAGE
COLUMNS




TYZB2
80*50mm
75*45mm




YDZB2
90*60mm
80*50mm




ZB2
80*50mm
75*45mm




DB2
80*50mm
75*45mm




TYZF2
70*70mm
65*65mm



YZF2
60*60mm
50*50mm



ZF2
70*70mm
65*65mm



DF2
70*70mm
65*65mm



ZY2
Φ70mm
Φ62mm