



1375055-1

SL110 Series Modular Jack, RJ45, category 6, T568A/T568B, unshielded, without dust cover, light almond

Product Classification

| | |
|-----------------------|--------------------------------------|
| Portfolio | NETCONNECT® |
| Product Series | SL Series |
| Product Type | Modular jack |
| Regional Availability | Asia Latin America North America |

Body Features

| | |
|--------------------|---------------|
| 110 Block Material | Polycarbonate |
| Inverted Jack Face | Yes |

Configuration Features

| | |
|---------------------|-----------|
| Keyed | No |
| Number of Positions | 8 |
| Wiring Pattern | Universal |

Contact Features

| | |
|---------------------------------------|---------------------|
| Contact Base Material | Beryllium copper |
| Contact Mating Area Plating Material | Gold |
| Contact Mating Area Plating Thickness | 50.00 µin 1.27 µm |

Dimensions

| | |
|--------------------------------------|---|
| Insulated Conductor Outside Diameter | 0.057 in 1.45 mm |
| Solid Wire Range | .51 mm ² .65 mm ² |
| Stranded Wire Range | .14 mm ² .2 mm ² |
| Wire Range | 22 AWG 24 AWG 26 AWG |

Housing Features

| | |
|------------------|---------------|
| Housing Color | Light almond |
| Housing Material | Polycarbonate |

Industry Standards

| | |
|----------------------|-----------|
| Standards Compliance | UL 94 V-0 |
|----------------------|-----------|

1375055-1

Mechanical Attachment

| | |
|---------------|---------------------|
| Mounting Type | SL Series Faceplate |
|---------------|---------------------|

Packaging Features

| | |
|--------------------|---------------|
| Included | Strain relief |
| Packaging Method | Poly Bag |
| Packaging Quantity | 1 |

Product Type Features

| | |
|----------------------|-------------------------|
| Performance Category | Category 6 |
| Shielded | No |
| Applies To | Panel |
| Cable Type | Unshielded Twisted Pair |
| Connector Type | Connector Assembly |
| Dust Cover | Without |
| Jack Type | RJ45 |

Termination Features

| | |
|----------------------------------|-------------------------------------|
| Termination Method to Wire/Cable | Insulation Displacement Crimp (IDC) |
| Termination Style | SL Termination Tool |

Regulatory Compliance/Certifications

| | |
|----------------------------------|------------------------------------|
| Agency RoHS 2011/65/EU | Classification Compliant |
|----------------------------------|------------------------------------|