NPCO6UVDB-YL



NPC RJ45 Patch Cord, category 6, Unshielded, CM (PVC), Yellow

- High-performance patch cords exceeding industry standards supporting NETCONNECT channel specifications
- Standardized transparent, slim-line boots provides consistent patch cord appearance and supports highest density applications
- Colored clips are available to fit the transparent boot, eliminating the need of multiple colors for matching every jacket color
- Colored pull latch tabs are available for easier plug release handling from the modular jack

Product Classification

Regional Availability Asia | Australia/New Zealand | Latin America

RJ45 plug

Portfolio NETCONNECT®

Product Type Twisted pair patch cord

Product Series NPC

General Specifications

ANSI/TIA Category 6

Cable TypeU/UTP (unshielded)

Conductor TypeStrandedInterface Feature, connector AStandardInterface Feature, connector BStandardInterface, Connector ARJ45 plug

Jacket Color Yellow

Pairs, quantity 4

Wiring T568B

Dimensions

Interface, Connector B

Cable Assembly Length, minimum (ft) 1


Cable Assembly Length, maximum (ft) 100

Diameter Over Jacket 5.97 mm | 0.235 in

Compatible Conductor Gauge, stranded 24 AWG

Ordering Tree





Material Specifications

Insulation Material Polyethylene

Material Type PVC

Mechanical Specifications

Plug Insertion Life, minimum 750 times

Environmental Specifications

Operating Temperature $-20 \,^{\circ}\text{C}$ to $+60 \,^{\circ}\text{C}$ (-4 °F to $+140 \,^{\circ}\text{F}$)

Relative Humidity Up to 93%, non-condensing

Environmental Space Non-plenum

Flammability Rating CM

Page 2 of 3



NPCO6UVDB-YL

Safety Standard UL 1863

Packaging and Weights

Packaging quantity 1

Regulatory Compliance/Certifications

Agency Classification

RCM Compliant to electrical safety, EMC, EME & telecommunications requirements



Included Products

2843020-3 — Integrated Boot and Pair Manager for MP-6AU, size 59, transparent MP-6AU-Boot-59-1

6-2843007-1 — Modular Plug, Category 6A/6, Unshielded, Cond Insulation OD - 0.99mm, 100 pcs MP-6AU-Plug-A-1

CC8863244/BU — CC6CM Category 6 U/UTP Cable, non-plenum, yellow jacket, 4 pair count, bulk length, reel